


RI E363554

RoHS2.0 compliant

REV	DATE	MODIFY



Circuits	Dimension mm	
	A	B
2X1	—	3.85
2X2	3.00	6.85
2X3	6.00	9.85
2X4	9.00	12.85
2X5	12.00	15.85
2X6	15.00	18.85
2X7	18.00	21.85
2X8	21.00	24.85
2X9	24.00	27.85
2X10	27.00	30.85
2X11	30.00	33.85
2X12	33.00	36.85

Features:



- * Available in 02 through 24 Circuits
- * Material: Nylon66 UL94V-0
- * Accepts ZH-5850-T Crimp Terminal
- * Mates with ZH-5750-HXX Series Housing
- * Color: Black

Ordering information:

ZH-5850 - $\frac{H}{1} \frac{XX}{2} \frac{Q}{3} - \frac{X}{4}$

- 1 H=Housing
- 2 No. of Circuits 02~24
- 3 Q :Nylon66 UL94V-0
- 4 Color:

☐ :Black	☐	B:Brown	C:Red
D:Orange	E:Yellow	F:Green	G:Blue
H:Purple	I:Gray	J:White	K:Pink



标示 “” 的尺寸须重点管控




TOLERANCE		Zen High Precision Industrial Ltd		
X.	--			
X.X	±0.25			
X.XX	±0.15			
X.XXX	±0.05			
ANGULAR	--			
APPROVALS		TITLE		
DRAWN	Liu juan	3.0mm(.118") Pitch Housing		
	05-Feb-2015			
CHECKED		VIEW	SCALE	PART NO.
			1:1	ZH-5850-HXXQ-X
APPROVED		UNIT	SIZE	REV.
		MM	A4	A0
			DWG NO.	SHEET
			HB2-150202	1 OF 2


 E363554

RoHS2.0 compliant


REV	DATE	MODIFY




2X12




2X08




2X04




2X11




2X07




2X03




2X10




2X06




2X02



2X09



2X05



2X01

ZH-5850-HXXX系列Pin孔图




TOLERANCE		 Zen High Precision Industrial Ltd		
X.	--			
X.X	±0.25	TITLE 3.0mm(.118") Pitch Housing		
X.XX	±0.15			
X.XXX	±0.05			
ANGULAR	--			
APPROVALS		VIEW	SCALE	PART NO.
DRAWN	Liu Juan 31-Jan-2015		1:1	ZH-5850-HXXQ
CHECKED		UNIT	SIZE	DWG NO.
APPROVED		MM	A4	HB2-150202
				REV. A0
				SHEET 1 OF 2

E363554

RoHS2.0 compliant

REV	DATE	MODIFY



Circuits	Dimension mm	
	A	B
2X1	—	3.85
2X2	3.00	6.85
2X3	6.00	9.85
2X4	9.00	12.85
2X5	12.00	15.85
2X6	15.00	18.85
2X7	18.00	21.85
2X8	21.00	24.85
2X9	24.00	27.85
2X10	27.00	30.85
2X11	30.00	33.85
2X12	33.00	36.85

Features:


- * Available in 02 through 24 Circuits
- * Material: Nylon66 UL94V-0
- * Accepts ZH-5850-T Crimp Terminal
- * Mates with ZH-5750-HXX Series Housing

Ordering information:


ZH-5850 - $\frac{H}{1} \frac{XX}{2} \frac{F}{3} \frac{Q}{4} - \frac{X}{5}$

- 1 H=Housing
- 2 No. of Circuits 02~24
- 3 F:Without Ear
- 4 Q:Nylon66 UL94V-0
- 5 Color:

□:Black		B:Brown	C:Red
D:Orange	E:Yellow	F:Green	G:Blue
H:Purple	I:Gray	J:White	K:Pink



2X02P~2X12P



2X01P

标示“”的尺寸须重点管控



TOLERANCE		Zen High Precision Industrial Ltd			
X.	--	TITLE 3.0mm(.118") Pitch Housing			
X.X	± 0.25				
X.XX	± 0.15				
X.XXX	± 0.05				
ANGULAR	--				
APPROVALS		VIEW	SCALE	PART NO.	REV.
DRAWN	Liu Juan		1:1	ZH-5850-HXXFQ-X	A0
CHECKED	30-Apr-2015				
APPROVED					
		UNIT	SIZE	DWG NO.	SHEET
		MM	A4	HB2-150409	1 OF 1