

RoHS2.0 compliant

REV	DATE	MODIFY
A1	2014/03/19	TOMA

Features:

- * Available in 08 Circuits
- * Material: PC UL94V-0
- * Accepts ZH-8420-C08 or ZH-8420-T Crimp Terminal
- * Mates with ZH-8420-08 Series Header

Ordering information:

ZH-8420 - $\frac{H}{1} \frac{08}{2} \frac{X}{3}$

1 H=Housing

2 No. of Circuits 08

3 Color:

☐ Nature	A:Black	B:Brown	C:Red
D:Orange	E:Yellow	F:Green	G:Blue
H:Purple	I:Gray	J:White	K:Pink



标示“”的尺寸需重点管控

TOLERANCE		ZH Connector Zen High Precision Industrial Ltd			
X.	--				
X.X	±0.25				
X.XX	±0.15				
X.XXX	±0.05				
ANGULAR		--			
APPROVALS		TITLE			
DRAWN TOMA		2X4P USB POWER			
10-NOV-2012					
CHECKED		VIEW	SCALE	PART NO.	REV.
		F		ZH-8420-H08-X	A1
APPROVED		UNIT	SIZE	DWG NO.	SHEET
		MM	A4	HB2-140312	1 OF 1



RoHS2.0 compliant

REV	DATE	MODIFY



Features:


- * Available in 08 Circuits
- * Material: PC UL 94V-0
- * Accepts ZH-8420-H08 Housing or ZH-8420-T Crimp Terminal
- * Mates with ZH-8420-08 Series Header

Ordering information:

ZH-8420 - $\frac{C}{1} \frac{08}{2} \frac{-X}{3}$

- 1 C=Cover
2 No. of Circuits 08
3 Color:

☐ Nature	A:Black	B:Brown	C:Red
D:Orange	E:Yellow	F:Green	G:Blue
H:Purple	I:Gray	J:White	K:Pink





标示“”的尺寸须重点管控



TOLERANCE		 Zen High Precision Industrial Ltd		
X.	--			
X.X	±0.25	TITLE 2X4P USB POWER		
X.XX	±0.15			
X.XXX	±0.05			
ANGULAR	--			
APPROVALS				
DRAWN	TOMA	VIEW	SCALE	PART NO.
	10-NOV-2012		1:1	ZH-8420-C08-X
CHECKED		UNIT	SIZE	DWG NO.
		MM	A4	HB2-121113
APPROVED				REV.
				A0
				SHEET
				1 OF 1

RoHS2.0 compliant

REV	DATE	MODIFY



Features:

- * Used in ZH-8420-H08 Series Housing
- * Insulation O.D.=5.5~6.5mm
- * Material : Brass or Phosphor bronze
- * Finish : Tin-plated or Gold-Plated
- * Qty/Bag: 500 PCS
- * Thickness: 0.25mm

Ordering information:

ZH-8420 -TFXXX
1 2 3 4 5

1 T=Terminal

2 F: 上鐵片

3 Plated: T=Tin G=Gold

4 Plated Method:

A:Plated before stamping


B:Stamping before Plated

5 Material:

□Brass

P:Phosphor bronze



标示“”的尺寸需重点管控



TOLERANCE		 Zen High Precision Industrial Ltd		
X.	--			
X.X	±0.25			
X.XX	±0.15			
X.XXX	±0.05			
ANGULAR	--			
APPROVALS		TITLE 2X4P USB POWER		
DRAWN	TOMA 10-NOV-2012	VIEW 	SCALE 1:1	PART NO. ZH-8420-TFXXX
CHECKED		UNIT MM	SIZE A4	REV. A0
APPROVED			DWG NO. TB1-121111	SHEET 1 OF 1

RoHS2.0 compliant

REV	DATE	MODIFY





Features:

- * Used in ZH-8420-H08 Series Housing
- * Insulation O.D.=5.5~6.5mm
- * Material : Brass or Phosphor bronze
- * Finish : Tin-plated or Gold-Plated
- * Qty/Bag: 500 PCS
- * Thickness: 0.25mm

Ordering information:

ZH-8420 - $\frac{TRXXX}{12345}$

- 1 T=Terminal
- 2 R:下鐵片
- 3 Plated: T=Tin G=Gold
- 4 Plated Method:
 - A:Plated before stamping
 - B:Stamping before Plated
- 5 Material:
 - Brass
 - P:Phosphor bronze



标示“ $\triangle$ ”的尺寸需重点管控

TOLERANCE		Zen High Precision Industrial Ltd			
X.	--				
X.X	±0.25	TITLE			
X.XX	±0.15				
X.XXX	±0.05	2X4P USB POWER			
ANGULAR	--				
APPROVALS		REV.			
DRAWN	TOMA	VIEW	SCALE	PART NO.	REV.
	10-NOV-2012		1:1	ZH-8420-TRXXX	AO
CHECKED		UNIT	SIZE	DWG NO.	SHEET
		MM	A4	TB1-121112	1 OF 1
APPROVED					

